

"Elusive"

2009 Monte Fino 80





This stunning 80 Monte Fino has just been commissioned and ready for cruising. Her enormous fly bridge and helm station come complete with air-con, TV, Foxtel, ice maker, freezer, fridge, wet bar and sink and is the ideal area for outdoor entertaining.

The twin 1300hp MAN engines produce a top speed of 23 knots. Hydraulic bow and stern thruster and remote handsets make docking this vessel an absolute pleasure.

Accommodation for 8 guests in 3 double cabins, 1 twin and 2 crew aft makes for a comfortable holiday away with the family or friends.

EXPRESSIONS OF INTEREST WELCOMED

Luxury Yachting, Luxury Lifestyle

PRINCIPAL DIMENSION

Length overall	79' 4"	24.25m
Beam	19'	5.79m
Draft	3' 7"	1.09m
Fuel Capacity	8500 Lts	
Water Capacity	1500 Lts	

ENGINE AND DRIVE TRAIN

Twin MAN 1300HP Diesel engines with ZF gearbox
Fresh water cooled engine
Dual racor fuel filter and water separator for engines
Underwater exhaust with idle by-pass
Engine alarm for low oil pressure and high temperature

ENGINE ROOM

Well planned engine room
Fibreglass bonded to hull engine beds with engine load
Distributed on black mild steel channels for strength and watertight bulkheads
Sound and heat insulation – Bulkhead (2 layers) and ceiling
White aluminium perforated insulation panels in engine room
White FRP floor plates
Delta – T engine room ventilation system with extractor fans and moisture eliminators at side of superstructure
Freshwater fill hose for engines and generators
KSE STD engine room door
Safety rails around twin engines
Duplex receptacles
AC fluorescent lights, DC lights

HULL & DECK CONSTRUCTION

Hand laid GRP construction
Two layer vinyl ester resin in hull bottom skin coat
Solid fibreglass hull bottom
Hull incorporate propeller tunnels for improving propulsive efficiency and reduce draft
V-Shaped keel with longitudinal stringers
Extended keel to protect propellers and strong enough to support boat
Stringer with foam cored reinforcement
Hull stiffened with longitudinal stringers supported by transverse bulkheads and decks
Resin-infused composite construction using foam core with layers of fibreglass laminate for all main bulkhead and decks
Foam cored sandwich deck construction for strength
Hull side and superstructure laminated with foam core
Ferro or equivalent white gel coat
Hull anti fouled with international gel shield x 2 + middle layer prima x 1 + bottom paint x 2
Rudder plate anti fouled , Anti foul shaft and treat propeller
Teak side decks, foredeck and aft deck

HULL AND DECK FITTINGS

All exterior fittings and hardware in stainless steel
Stainless steel open able portholes custom recessed
Stainless steel flag pole on bow rail
Two hawse and bollard for fore deck, one on each side
Two hawse and cross cleat for mid ship, two each side
Two corner hawse with rollers for aft deck
Two 14" fix cleat for bathing platform, one each side
Fuel and fresh water deck fillers
Fresh water deck wash points one in aft deck and one in anchor
Locker and one in fly bridge
Sea water deck wash point in anchor locker
KSE standard hi quality stainless steel door hinges and Courtesy lights for exterior stairways
Two deck light at bow
Palagi or equivalent exterior ceiling lights
Aqua signal or equivalent navigation lights
Hella model 90615 or equivalent flush mounted docking light x 2 on aft deck ceiling
Kahlenberg or equivalent dual chrome electric horn
Bow storage locker with stainless steel handle
Manship or equivalent escape hatch for forward cabin
Bow seat with cushion
Sun bed with cushion at bow
Additional half oval stainless steel rub rails for hull with rub rails extended from swim deck to the aft bulkhead of engine room
Custom stainless steel bow protective plate

ANCHOR, MOORING AND TENDER EQUIPMENT

Electrical forward launch single anchor system
Muire HR400 DC 12/24V Windlass with foot switch at bow deck
Windlass foot switch at bow
Windlass remote at fly bridge helm
Upgrade to 250lbs stainless steel anchor
300ft BBB anchor chain x 5/8"
Chain roller and chain stop
Anchor locker with partition for chain and line stowage
Freeman watertight anchor locker hatch x 1
Aritex HSC 600 dinghy davit with hydraulic rotation (600kgs lift)

STERN GEAR

Heavy duty stainless steel SUS630 Shafts
Bronze 1 type shaft struts
Hi quality shaft bearing
Hi quality Shaft log seal
Stainless steel rudder
Rudder stock
Hi quality rudder stock bearing
FRP stern tube
4 blade nickel aluminium bronze propellers
Cathodic bonding system to zinc anodes for shaft and rudder

STEERING SYSTEM

Teleflex or equivalent hydraulic power steering system
Emergency tiller
Glendinning electronic engine control with backup system for fly bridge helm
Gelndinning remote engine control in aft deck locker bennet trim tab with control at helm stations

STEBILIZER AND THRUSTER SYSTEM

Naiad bow and stern hydraulic thrusters and stabilizers

FUEL SYSTEM

A total of 8500 Litres for fuel capacity in aluminium fuel tanks
Mainfold for fuel management
USCG – A2 Compliant fuel pipe
Deck fills for all fuel tanks
Fuel sight gauges
Wema or equivalent electrical fuel gauges at main helm

BILGE SYSTEM

(6) Automatic rule 3700 24V electric bilge pump with manual floating switches to each compartment
High water level alarm for each compartment with indicator on boat indicator panel
Manual bilge pump x 1 in engine room
DC lights to all bilge area

SEAWATER SYSTEM

High quality sea water strainers for all sea water inlets
Sea cocks to all underwater fittings
Bronze through hull fittings
Groco PJR or equivalent deck wash down pump with outlets at chain lockers and aft deck

ELECTRICAL SYSTEM

220V 50HZ electrical system

Colour coded wiring for easy identification

(4) 200 AH wet cell batteries exclusively for engine start

(2) 120 AH wet cell batteries for generator start

(6) 200 AH wet cell batteries for domestic service

(2) 200 AH wet cell batteries for electrical anchor windlass

(2) 200 AH wet cell batteries for electrical bow thrusters

Enclosed acid-proof fibreglass batter box with cover and battery selector switches

Emergency battery coupling system permits each engine to start from opposite engine battery bank

24V / 30 AMP battery charger for engine start x 1

24V / 30 AMP battery charger for generator start x 1

24V / 80 AMP battery charger for ship power / service x 1

Engine alternators charge via diode system to isolate engine start batteries from domestic service

One set of ONAN e-QD 22.5 KW single phase generator with sound shield, racor filter, muffler and gas and water.

One set of ONAN e-QD 13.5 KW single phase generator with sound shield, racor filter, muffler and gals and water

Emergency battery coupling system permits each generator to start from opposite generator battery

Main electrical panel includes separate AC power control and AC circuit breaker panel

DC 12 / 24 Volt DC monitoring and main circuit breaker panel

32 – 12 – 50A 50 AMP converter DC 24V to DC 12V x 1

Boat indicator panel

Two shore power locker, each with (1) shore power inlet, (1) plug and (1) breaker supply by owner/ dealer

Two 20m Hubbell or equivalent shoer power cable

DC 24V lights throughout

Dolphin 24V / 80AMP AC to DC light transformer x 2

High quality Vimar light switch

High quality Vimar AC sockets

Add vibration mounts and damping under the stainless steel

Generator frame for all generators

FRESH WATER SYSTEM

1500 Litres o fresh water in stainless steel water tank

Headhunter March 5 or equivalent AC fresh water pump x 1

Headhunter or equivalent DC fresh water pump x 1

Headhunter water pressure tank for fresh water system

Torrid 30 Gal hot water heater x 2

Water level sight gauges

Wema or equivalent electric gauge at galley

Kitec fresh water pipe line

City/ shore water inlet x 1

BLACK AND GREY WATER SYSTEM

300 Litres of FRP holding tank with indicator at main electrical panel
Macerator pump for holding tank
Y valve for dockside pump out from holding tank
Direct deck discharge for holding tank
Holding tank level gauge
Tecma silence standard bowel DC 12 /24V electrical toilet with control panels for all 4 heads
Rule 2000 DC 24V or equivalent sump pumps in independent sump
Independent fibreglass sump tank with tinted clear cover and inspection hatch x 3

AIR CONDITIONING AND HEATING SYSTEM

Cruise air or equivalent direct expansion DX / remote air condition system (total capacity 70000 BTU)
Digital control to all air handler

EMERGENCY AND FIRE FIGHTING EQUIPMENT

Smoke detectors and alarm system
Seafire FM 200 fire extinguisher system with manual release outside of engine room

FLY BRIDGE

Portner white helm chair with stainless steel pedestal x 3
Fibreglass table with adjustable stainless steel pedestal
Wetbar with sink, hot and cold water supply and storage
Tundra AC and DC refrigerator in wet bar x 1
U-Line BI-95 ice maker x 1
Freezer x 1
Fibreglass hard top with dimmable lighting
Hargrave style radar FRP radar arch
Stainless steel anchor lights bracket
Lexan tinted windscreen with stainless steel supports
Standard FRP stairway to access flybridge from aft deck
Aritex sliding hatch with tinted glass
Stainless steel safety rail around sliding hatch
1 ½" round type handrail with 1 ¼" stanchions for fly bridge
Teak aft flag pole
Non skid fly bridge deck
(1) Sanshin high power search light with (2) remote controls
Lower level fly bridge lighting
Furniture cover
(2) Jabsco or equivalent DC 24V flood light on hard top

FLY BRIDGE HELM

Instrument consol
Hydraulic power steering
High quality steering wheel
Engine instrumentation
Electronic engine control
Thrusters control
Trim tab control
Windlass control
Horn control
Search light control
Navigation lights switches
Boat indicator panel with warning lights for anchor lights
Bilge pumps and engine room fans
Sea fire, fire extinguisher alarm and test panel
Bilge pump warning lights and audible alarms
Danforth 5" magnetic compass or equivalent (south fuel gauges)
Car stereo CD with watertight cover and 2 speakers
Raymarine ST60 Displays for ship speed and depth
Raymarine ST60 Rudder system with display
Raymarine Ray E42002 240E or equivalent VHF Marine Radio x 1
Install owner supplied navigation and communication system
Anchor chain counter x 1

AFT DECK

Self draining aft deck
Teak aft deck table with slider on stainless steel pedestal
Fibreglass bench seating with cushion and cover
Storage under fibreglass bench seating
Wet bar with sink and storage
Tundra T42 or equivalent AC and DC fridge in the wet bar
1 sea water outlet inside wetbar
1 fresh water outlet inside wetbar
Fibreglass boarding gate at port and starboard side of aft deck
Dual fibreglass steps, port and starboard, to swim platform with teak steps and lights
Stainless steel grab rail on each transom wing
Dual stainless steel transom gate from aft deck to bathing/ swim platform with MF sign
Third engine and thrusters controls in built in locker
Overhead lighting
2 speakers connect to audio system in main salon
Storage for 2 boat hook
Boat hook x 2

SWIM / BATHING PLATFORM

Non skid finish bathing platform
Built in shower cabinet with hot and cold water hand – held
Built in locker housing shore power inlets
Dockside television and phone inlets
Watertight door to aft crew and engine room
Freeman access to hatches to rudder compartment
Pull out swimming ladder inside built in locker
(7) 2"U shape stainless steel 316 alloy guard rails

INTERIOR FURNISHINGS GENERAL

Wood veneer
Push / pull german latches
Italian door handles
Indirect rope lighting to valances in all common area

FORWARD DINETTE AREA

Wood veneer or selected white vinyl wall panelling and storage cabinets with varnished veneer top
Storage cabinets with varnished veneer top
Wooden table with varnished veneer top x 1
Leather sofa
Clear tempered and safety glass forward windscreen
Curtains and blinds
White vinyl headliner panel with lights
Vimar light switches
AC power sockets
Stairway to access lower guest accommodation area with step lights and handrail
2 opening doors to side deck
Master electric control panel with AC and DC circuit
Generator remote start/stop
Fire and smoke detection monitoring panel
Holding tank indicator

GALLEY

Wall panelling
Storage cabinets with drawers and overhead lockers
Lacquered wood veneer door for storage cabinets and over head lockers
granite work top and splash back
Stainless steel galley sink, Grohe euro plus sink faucet
Cook top and Hood
Credit standard refrigerator
Microwave
White vinyl headliner panel with overhead lights
Vimar light switches
AC power sockets
Wema fresh water level gauge

MAIN SALOON

Panelling

Storage cabinets with varnished veneer top

Television cabinet with aritex television lift

Cocktail cabinet with glass doors and Perspex shelving

Custom leather sofa with storage

2 coffee tables

6 seater dining table with chairs

Carpet floor

Side windows

Manual sliding door with stainless steel frame

Custom soffit ceiling

White vinyl headliner panel with overhead lights

Low level rope lighting behind salon valances, port and starboard vimar light switches

AC power sockets

Install owner supplied television and stereo system

LOWER FOYER

Direct access from main deck forward dinette area

Panelling

Carpet floor

White vinyl headliner panel with overhead lights

Vinmar light switches

MASTER STATEROOM

Panelling

Storage cabinet with drawers and lacquered wood veneer

Large double bed with foam mattress, pillows and bedspread

Upholstered headboard

Storage under bed

Night stand with drawers and lacquered wood veneer top

Reading lamps

Dressing table with mirror

Stool

Two seat sofa

Cedar lined wardrobe with light

Carpet floor

Porthole with curtains or blinds

Soffit ceiling with recessed lights above bed

White vinyl headliner panel with overhead lights

AC power sockets

Television and stereo system

PORT STATEROOM

Twin bed with foam mattress, pillows and bedspread
Upholstered headboard
1 Pullman bunk with foam mattress, pillow and bedspread
Storage under bed
Night stand with drawers and lacquered wood veneer top
Reading lamp
Cedar lined wardrobe with light
Carpet floor
Porthole with curtains or blinds
White vinyl headliner panel with overhead lights
Vimar light switches
AC power sockets
Television and stereo system

PORT STATEROOM / DAY BATHROOM

Direct access from port stateroom and lower foyer
Storage cabinet with mirror
Washbasin
Mirror headliner panel
Glass holder x 2
Towel rail
Tecma toilet
Extractor fan
Vimar light switches
AC power sockets
Walk in shower
White painted lacquered shower stall
Shower bench
Ital folding shower door

CREWS CABIN

Upper and lower bunk with foam mattress, pillows and storage under bed
Reading lamp
Cedar lined wardrobe with light
Synthetic teak with white inlays floor
Porthole with curtains or blinds
White vinyl headliner panel with overhead lights
Vimar light switches
AC power sockets
Television and stereo system

MASTER BATHROOM

Direct access from master stateroom
Panelling bulkhead
Storage cabinet with mirror
Washbasin
Grohe euro plus sink faucet
Porthole with curtains or blinds
Mirror headliner panel
Glass holder x 2
Towerl rail x 1
Tecma Toilet
Extractor Fan
Vinmar light switches
AC power sockets
Walk in shower
Grohe euro plus or equivalent shower seat
White painted lacquered shower stall
Frameless glass shower door

VIP STATEROOM

Storage cabinet with drawers and lacquered wood veneer
Large double bed with foam mattress, pillows and bedspread, Upholstered headboard
Storage under bed
Night stand with drawers and lacquered wood veneer top
Reading lamps
Cedar lined wardrobe with light
Carpet floor
Porthole with curtains or blinds
Soffit ceiling with recessed lights above bed
White vinyl headliner panel with overhead lights
Vimar light switches
AC power sockets
Television and stereo system

VIP BATHROOM

Direct access from VIP stateroom
Storage cabinet with mirror, Washbasin
Porthole with curtains or blinds
Mirror headliner panel
Glass holder x 2
Towel rail
Tecma toilet
Extractor fan
Vimar light switches
AC power sockets
Walk in shower with shower seat, bench and glass shower door

CREW BATHROOM

Direct access from crew cabin
White Formica panelling, bulkhead and cabinets
Storage cabinet with mirror
Washbasin
Teak frate floor
Boeing headliner panel
Tecma toilet
Extractor fan
AC power sockets

LAUNDRY AND STORAGE AREA

Synthetic teak with white inlays floor
White vinyl headliner panel with overhead lights
Miele Washer and drying machines

OTHER

Dockside shore television / telephone connection
Intercom to fly bridge helm, salon, engine room and all cabins with telephone shore connection
CCTV system include 3 AV4381 colour camera with fixed bracket two for engine room and one for salon .
Vk-C7031 Dome camera for aft deck and one camera switch
Main deck front wind screen cover
Fly screen for all open able porthole
2 stainless steel Monte Fino sign one each side


Large boarding platform with deck storage, BBQ, Swim ladder, shower, entry to spacious crew & engine room. Port and starboard steps to aft deck.



The aft deck, one of many comfortable dining areas.



Port side aft deck bar fridge and services.



The fly bridge on Elusive is second to none. This area is enormous. Fully enclosed with Clears and 360 degree views makes it the Perfect place to relax or entertain. Air conditioning, foxtel, fridge, ice maker, Freezer and sink.



Flybridge dining or just kick back and watch TV



Main helm station is well laid out with everything at your fingertips. Electric controls, hydraulic bow and stern thrusters and two station hand held remote controls make docking this 80 footer a joy.



The beautifully appointed salon with facing Lounges is yet another great location to Spend your time.



Main salon flowing down to the formal dining area.



An extremely well equipped galley to make any chef happy.



Looking through from the galley to forward Sun lounge, office station or breakfast dinet



Below companion way to all accommodation.



Port side twin accommodation.
All cabinets have individual air con and entertainment systems.



VIP Queen guest accommodation with ensuite facility



Master stateroom is full beam with large oval port holes which provide warmth and natural Light.



All ensuites onboard are well appointed and very spacious.

