

Auction: Welding Rods & Wire End Of Construction Project Online Auction [FW83 BAY 7]
Type: Online
Starts: 5:00pm 16th August 2019
Closes: 4:00pm 26th August 2019
Where: Fargo Warehouse
23 Fargo Way Welshpool WA 6106
Inspection: Monday 19th August and Monday 26th August 9am - 3pm.
No Public Access outside of Inspection & Pickup Times

Conditions:

The following conditions apply to this auction, in conjunction with the complete Conditions Of Sale **and** Online Terms And Conditions both of which are available on our website.

All items are sold 'as is, where is'

All items at Ross's Auctions are sold on an '**as is, where is**' basis. This means the item is being sold in its current condition, regardless of any faults or damage. The bidder accepts full responsibility in satisfying themselves with the item prior to bidding. It is recommended that that if the bidder is in doubt, not to bid as no returns or refunds will be made.

Automatic Payment

This auction utilises Ross's automatic payment system. Once the auction has closed all invoices under \$2000.00 will be deducted directly from the credit card linked to your Ross's premium account. This process streamlines the payment and invoicing of online auctions. For invoices above \$2000.00 the buyer must complete payment through the 'member tools' area on the website, via direct deposit or in person at our Welshpool branch. All payments must be completed within one business day after the close of the auction.

Anti-Snipe Feature

This auction uses an 'anti snipe' feature which means that if a bid is made within 5 minutes of close, the bidding time will be extended by 5 minutes. This is to reduce the instances of bidders 'sniping' at the last minute of the auction.

Inspections

All items in this auction have a formal inspection period. During this time bidders are able to inspect the lots they are interested in. It is the bidders responsibility to utilise this time to satisfy themselves with the condition of the lot. Inspections are recommended and will be deemed to have been taken in all cases.

Collection

All items purchased from a Ross's Auction must be collected by **4pm the next business day** unless otherwise stated. It is important that buyers are prompt in removing their purchased lots. Any items not collected within the allotted time period will incur a **storage fee from \$20 per item per day**. Ross's reserves the right to resell any items that remain at our premises after 7 business days to recover any outstanding fees.

Refunds / Returns

As Ross's sells all items on an 'as is, where is' basis no refunds or returns will be provided to bidders. It is the responsibility of the bidder to ensure that they are satisfied with the condition of the item before bidding. Ross's accepts no responsibility for any errors in the description, listing or quantity of any lot. All descriptions and photos are to be used as a guide only.

If the successful purchaser fails to comply with the terms and conditions, Ross's Auctioneers & Valuers reserves the right to retain the deposit and/or any other monies paid and the right to resell the Lot or Lots in any manner and upon such terms and conditions they may think fit.

Enclosed Footwear

Enclosed footwear must be worn to this particular auction. For the safety of all visitors, Bidders without the appropriate foot wear may have restricted site access.

Buyers Premium & GST

This auction has a buyer's premium component. This premium is added on top of the hammer price. For example if the hammer price is \$100.00 and the buyer's premium is 10%, your final invoice for that lot will be \$110.00. Each auction will note whether it is GST inclusive or exclusive. Please confirm this before bidding by checking the front page of the auction on our website.

Occupational Safety & Health Obligations

The legislation imposes obligations, such as providing and maintaining a safe work environment and preventing exposure to and protection from hazards on persons who use or operate plant in a workplace and on employers whose employees use or operate plant. If the buyer intends to use plant purchased at a workplace then it is the responsibility of the Buyer to inform themselves of these obligations. Unless otherwise stated the plant to be sold has not been assessed or inspected by a competent person and it may or may not be affected by faults or defects, which make it unsafe for use. It is the responsibility of the Buyer to ensure assessment and inspection by a competent person. The Buyer is warned that items not previously assessed or inspected by a competent person may be suitable for scrap or spare parts only. The Legislation requires that owners of plant maintain safety and health information and records. The Auctioneers will pass on to the buyer all information made available to them by the owner, but the Auctioneer does not warrant that the information and records are complete and accurate. It is the responsibility of the Buyer to familiarise themselves with all relevant information and records.

A buyers premium of 10.00% applies to this auction.

This auction is GST exclusive.

Lot#	QTY	Description
1	1	APPROX 40 x LINCOLN ELECTRIC, STAINLESS STEEL, ER316/316L, 1/8"x 36" (3.2mm x 914mm) WELDING WIRE (OMR#00081) (MP77#5824)
2	1	APPROX 56 x CARTONS OF 3 CANNISTERS - LINCOLN ELECTRIC, STAINLESS ELECTRODE 309/309L - 15 3.2mm x 300mm (OMR#00081) (MP77#5824)
3	1	APPROX 114 x LINCOLN ELECTRIC MILDSTEEL ACERO ACIERO DOUX ER70S-2 (3.2mm x 914mm) 4.5kg PER CARTON (OMR#00081) (MP77#5824)
4	1	LINCOLN ELECTRIC APPROX 45 x BLUE MAX, MIG 316LSI, 1.1mm 11.3kg EACH (OMR#00081) (MP77#5824)
5	1	APPROX 5 x BOX ROD GUARD WELDING ROD HOLDERS APPROX 900mm, 4 x BOX OF ROD GUARD WELDING ROLDER HOLDERS APPROX 400mm LONG (OMR#00081) (MP77#5824)
6	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 1.1mm 11.3kg EACH (OMR#00081) (MP77#5824)
7	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 0.9mm 11.3kg EACH (OMR#00081) (MP77#5824)
8	1	APPROX 54 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 0.9mm, 11.3kg (OMR#00081) (MP77#5824)
9	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 1.1mm 11.3kg (OMR#00081) (MP77#5824)
10	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 0.9mm 11.3kg (OMR#00081) (MP77#5824)
11	1	APPROX 57 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 0.9mm 11.3kg (OMR#00081) (MP77#5824)
12	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 1.1mm 11.3kg (OMR#00081) (MP77#5824)
13	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 1.1mm 11.3kg (OMR#00081) (MP77#5824)
14	1	APPROX 129 x LINCOLN ELECTRIC, MILD STEEL ACERO ACIERO DOUX ER70S-2, 3.2mm x 914mm 4.5kg PER CARTON (OMR#00081) (MP77#5824)
15	1	APPROX 72 x LINCOLN ELECTRIC MIG 316 LSI BLUEMAX, 1.1mm 11.3kg (OMR#00081) (MP77#5824)
16	1	APPROX 16 x PHOENIX DRY ROD 11 ELECTRODE STABILISING OVEN - TYPE 2 (VOLTS AC/DC 100-120v-220-240v) 70 watts, 4 x LINCOLN ELECTRIC, MIG 316 LSI BLUEMAX 1.1mm 11.3kg (OMR#00081) (MP77#5824)
17	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX MIG 316 LSI 1.1mm 11.3kg (OMR#00081) (MP77#5824)
18	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX MIG 316 LSI 0.9mm 11.3kg (OMR#00081) (MP77#5824)
19	1	APPROX 51 x LINCOLN ELECTRIC , EXCALIBUR 309/309L -15, STAINLESS ELECTRODE 2.4mm

Lot#	QTY	Description
		x 300mm 10.9kg (OMR#00081) (MP77#5824)
20	1	APPROX 110 x LINCOLN ELECTRIC MILD STEEL ACERO ACIERO 3.2mm x 914mm 4.5kg PER CARTON, 1 x LINCOLN ELECTRIC, STAINLESS STEEL ACERO INOXIDABLE ACIER INOXYDABLE (OMR#00081) (MP77#5824)
21	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI 1.1mm 11.3kg (OMR#00081) (MP77#5824)
22	1	APPROX 110 x LINCOLN ELECTRIC STAINLESS STEEL ACERO INOXIDABLE ACIER INOXIDABLE ER316/316L 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
23	1	APPROX 110 x LINCOLN ELECTRIC, MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
24	1	APPROX 54 x HOBART FILLER METALS, FORMULA XL-525, 1.2mm , 15kg (OMR#00081) (MP77#5824)
25	1	APPROX 54 x LINCOLN ELECTRIC, BLUEMAX MIG 316 LSI 0.9mm 11.3kg (OMR#00081) (MP77#5824)
26	1	APPROX 16 x DRY ROD 11, ELECTRODE STABILISING OVEN, TYPE 2, VOLTS AC/DC 100-120v, 220-240v , 70 watts (OMR#00081) (MP77#5824)
27	1	APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI, 1.1mm 11.3kg, 4 x HOBART FILLER METALS, FORMULA XL-525 1.2mm 15kg (OMR#00081) (MP77#5824)
28	1	30 x LINCOLN ELECTRIC EXCALIBUR 7018 - 1MR, 4.0mm x 350mm , 22.7 kg (OMR#00081) (MP77#5824)
29	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
30	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
31	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
32	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
33	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
34	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
35	1	30 x LINCOLN ELECTRIC, EXCALIBUR 7018 -1MR, 5/32" x 14" TIN (OMR#00081) (MP77#5824)
36	1	PALLET CONTAINING APPROX 85 METRODE ULTRAMET 316 LCF AWS A5.4/ASME SFA 5.4 E 316L-16 , 2.5mm , U2MS143652, 2 x DRY ROD 2 ELECTRODE STABILISING OVEN, 220-240v, 20 1B CAPACITY 38-149 DEGREES CELCIUS (OMR#00081) (MP77#5824)
37	1	PALLET CONTAINING APPROX 73 x METRODE ULTRAMET 316 LCF, AWS A5.4/ASME SFA 5.4 E 316L-16, 2.5mm , 1 x LINCOLN ELECTRIC, SAHARA READY PACK ELECTRODES, CONARC 49C 3.2mm x 350mm, AWS5, E7018-H4R 6 x 50 PIECES (OMR#00081) (MP77#5824)
38	1	PALLET CONTAINING APPROX 63 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI 0.9 11.3kg (OMR#00081) (MP77#5824)
39	1	1 x PALLET OF 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI 1.1mm 11.3kg (OMR#00081) (MP77#5824)

Lot#	QTY	Description
40	1	1 x PALLET OF 110 x LINCOLN ELECTRIC, MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm , 4.5kg PER CARTON (OMR#00081) (MP77#5824)
41	1	1 x PALLET OF APPROX 110 x LINCOLN ELECTRIC STAINLESS STEEL ACERO INOXIDABLE ACIER INOXYDABLE ER316/316L 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
42	1	1 x PALLET OF APPROX 110 x LINCOLN ELECTRIC STAINLESS STEEL ACERO INOXIDABLE ACIER INOXYDABLE ER316/316L 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
43	1	1 x PALLET OF APPROX 107 x LINCOLN ELECTRIC, MILDSTEEL ACERO ACIERO DOUX 3.2mm x 914mm , 4.5kg (OMR#00081) (MP77#5824)
44	1	1 x PALLET OF 114 x LINCOLN ELECTRIC, MILDSTEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
45	1	1 x PALLET OF APPROX 108 x LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
46	1	1 x PALLET OF APPROX 110 x LINCOLN ELECTRIC STAINLESS STEEL ACERO INOXIDABLE ACIERO INOXYDABLE ER316/316L 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
47	1	1 x PALLET OF APPROX 110 x LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
48	1	1 x PALLET OF APPROX 110 x LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
49	1	1 x PALLET OF APPROX 54 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI 1.1mm 11.3kg (OMR#00081) (MP77#5824)
50	1	1 x PALLET OF APPROX 88 x LINCOLN ELECTRIC, MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
51	1	1 x PALLET OF APPROX 99 x LINCOLN ELECTRIC STAINLESS STEEL ACERO INOXIDABLE ACIER INOXYDABLE 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
52	1	1 x PALLET OF APPROX 110 LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
53	1	1 x PALLET OF APPROX 116 x LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 3.2mm x 914mm 4.5kg (OMR#00081) (MP77#5824)
54	1	1 x PALLET OF 63 x LINCOLN ELECTRIC, BLUEMAX MIG 316 LSI 0.9mm 11.3kg (OMR#00081) (MP77#5824)
55	1	1 x PALLET OF 45 x LINCOLN ELECTRIC , BLUEMAX, MIG 316 LSI 0.9mm 11.3kg (OMR#00081) (MP77#5824)
56	1	1 x PALLET OF 45 x LINCOLN ELECTRIC, BLUE MAX, MIG 316 LSI 0.9mm 11.3kg (OMR#00081) (MP77#5824)
57	1	1 x PALLET OF APPROX 45 x LINCOLN ELECTRIC, BLUEMAX, MIG 316 LSI 1.1mm 11.3kg (OMR#00081) (MP77#5824)
58	1	1 x CRATE OF WELDING GEAR CONSISTING OF LINCOLN ELECTRIC MILD STEEL ACERO ACIERO DOUX 2.4mm x 914mm , 4.5kg x 9. INETIG COPPER COATED TIG ROD FOR WELDING

Lot#	QTY	Description
		CARBON AND CARBON MANGANESE, 510mpa DIAM. 1.60, APPRO 25kg, LINCOLN ELECTRIC CONARC 52 2.5 x 350mm 148PIECES, 2.7kg. APPROX 30 x SANDVIK TIG-ROD 19.9 LSI, 2.40 x 1000mm. APPROX 2 x LINCOLN ELECTRIC 6.3mm DC ROUND GOUGINY CARBON. 1 x DRY ROD 2 ELECTRODE STABILISING OVEN 20LB CAPACITY, TYPE 2, 100-120v - 220-240v, 70watts. 15 x WELDING ROD HOLDERS APPROX 400mm LONG (NO LIDS) (OMR#00081) (MP77#5824)